

- ALL KERBS TO BE CONSTRUCTED FROM 25MPa 'KERB MIX' CONCRETE ON A MINIMUM 150mm COMPACTED DEPTH, 20mm CLASS 3 CRUSHED ROCK IN ACCORDANCE WITH VICROADS STANDARD DOCUMENT SECTION 703.
- CLASS 3 CRUSHED ROCK MAY CONTAIN 100% CRUSHED CONCRETE IN ACCORDANCE WITH VICROADS TECHNICAL NOTE TN 107 - USE OF RECYCLED MATERIALS IN ROAD PAVEMENTS.
- CONSTRUCTION JOINTS AT MAXIMUM 2.5m INTERVALS.
- TRANSITION FROM ONE KERB PROFILE TO ANOTHER SHOULD TAKE PLACE OVER ONE 2.5m LENGTH.

Title:




Engineering & Building Services Ph: (03) 9298 4292 www.maroondah.vic.gov.au

KERB PROFILES

Revision: 00 Date: October 2020 Sheet: 1 of 2 Standard Drawing Number:

MCC-107



- DEPTH, 20mm CLASS 3 CRUSHED ROCK IN ACCORDANCE WITH VICROADS STANDARD DOCUMENT SECTION 703.
- CLASS 3 CRUSHED ROCK MAY CONTAIN 100% CRUSHED CONCRETE IN ACCORDANCE WITH VICROADS TECHNICAL NOTE TN 107 - USE OF RECYCLED MATERIALS IN ROAD PAVEMENTS.
- CONSTRUCTION JOINTS AT MAXIMUM 2.5m INTERVALS
- TRANSITION FROM ONE KERB PROFILE TO ANOTHER SHOULD TAKE PLACE OVER ONE 2.5m LENGTH.

Title:



Engineering & Building Services Ph: (03) 9298 4292 www.maroondah.vic.gov.au

KERB PROFILES

Revision: 00 Date: October 2020 Sheet: 2 of 2 Standard Drawing Number:

MCC-107