


NOTES:

1. DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE INDICATED.
2. LOCATION & ALIGNMENT OF PEDESTRIAN CROSSING TO BE CONFIRMED WITH COUNCIL'S ENGINEERS PRIOR TO CONSTRUCTION.
3. KERB RAMP LENGTH TO BE MEASURED FROM THE INVERT OF KERB THROUGH THE CENTRE OF THE PEDESTRIAN CROSSING.
4. REFER TO MAROONDAH CITY COUNCIL STANDARD DRAWING MCC-406 FOR PEDESTRIAN CROSSING CONSTRUCTION DETAILS.
5. TACTILE GROUND SURFACE INDICATORS (TGSIs) ARE TO BE INSTALLED ON A SITE SPECIFIC BASIS SUBJECT TO COUNCIL APPROVAL. REFER TO MAROONDAH CITY COUNCIL STANDARD DRAWING MCC-407 FOR INSTALLATION DETAILS.

	<p>Title:</p> <p style="text-align: center;">PEDESTRIAN CROSSING - LOCATIONS</p>	<p>Revision: 00</p> <p>Date: October 2020</p> <p>Sheet: 1 of 1</p>
<p>Engineering & Building Services Ph: (03) 9298 4292 www.maroondah.vic.gov.au</p>		<p>Standard Drawing Number: MCC-405</p>