


NOTES:

1. ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE INDICATED.
2. INSTALLATION & LAYOUT OF TACTILE GROUND SURFACE INDICATORS (TGSIs) IS TO BE IN ACCORDANCE WITH AUSTRALIAN STANDARDS AS 1428.4.1 AND TO THE SATISFACTION OF COUNCIL'S ENGINEERS.
3. PLAN VIEW SHOWS LAYOUT OF TGSIs FOR THE FOLLOWING SITE CONDITIONS:
  - RIGHT ANGLE MID-BLOCK CROSSING
  - KERB RAMP CROSSFALL OF 1 in 8 (12.5%)
  - TOP OF KERB RAMP IS >3m FROM THE BUILDING LINE
 REFER TO AUSTRALIAN STANDARDS AS 1428.4.1 FOR TGSi LAYOUTS WITH DIFFERENT SITE CONDITIONS.
4. TGSi PRODUCT & MANUFACTURER TO BE APPROVED BY COUNCIL'S ENGINEERS PRIOR TO INSTALLATION.
5. TGSIs TO BE YELLOW UNLESS OTHERWISE INDICATED.



PLAN VIEW

1:50 SCALE @ A4



Engineering & Building Services  
Ph: (03) 9298 4292  
www.maroondah.vic.gov.au

Title:

**PEDESTRIAN CROSSING -  
TACTILE GROUND SURFACE  
INDICATORS**

Revision: 00

Date: October 2020

Sheet: 1 of 1

Standard Drawing Number:

**MCC-407**